

# IMC-300T/VA - Omnidirectional Speaker

100V

360°

2 Ways

EN 54



**IMC-300T/VA - 360° lydopplevelse** Med denne omnidireksjonale høyttaleren er det mulig å fylle relativt store områder med lyd. Når høyttaleren er montert i en høyde på 4 m, gir den en homogen lydstråling som dekker et område på ca. 200 m<sup>2</sup>. Høyttaleren har en utmerket lyd kvalitet takket være en 6,5" koaksial høyttalerenhet som gir optimal lyd med en fyldig bass i det store kabinettet. Denne høyttaleren er ideell for både tale og musikk, og egner seg godt for bruk i for eksempel butikker, restauranter, kontorer og lager hvor det er behov for en diskret høyttalerløsning som kan dekke store områder. **Høyttaleren er EN 54-24 sertifisert.**

- 100 V: 30/20/10 W
- 2-veis koaksial høyttaler (6,5 ")
- Omnidireksjonal - Gir en homogen stråling av lyden
- Utmerket lydgjengivelse med fyldig bass
- Anbefalt installasjonshøyde: ca. 4 m
- Hvitlakkert stål-kabinett
- Oppheng via ståltråd og karabinkroker
- Kabelgjennomføring (PG11)
- Keramisk terminal

## Tekniske data

Active/passive	: passive
Transmission technology	: 100 V
Total output power	: -
Power rating (RMS)	: -
Total power rating	: -
Power rating (RMS)	: 30/20/10 W
Impedance	: -
Frequency range	: 60-20,000 Hz
THD	: -
S/N ratio	: -
Input signal	: -
System	: -
Full range speaker	: -
Bass speaker	: 1
Midrange speaker	: -
Tweeter	: 1
Number of speakers	: 2
Speaker size	: 6.5"
SPL	: 83 dB/W/m
Max. rated SPL	: 98 dB
Beam angle	: H: 360°/V: 160°
Radiation angle, horizontal	: 360°
Radiation angle, vertical	: 160°
Features	: -
Housing material	: metal
Colour	: white
Mounting device	: steel rope with snap hook
Protected against ball rebound	: -
Protection class	: -
Admiss. ambient temp.	: 0-40 °C
Power supply	: -
Dimensions	: ~ 480 mm x 300 mm
Width	: ~ 480 mm
Height	: 300 mm
Depth	: -

---

Weight	: 4.5 kg
Inputs	: 1 x high-strength cable gland (PG11)
Outputs	: -
Replacement voice coil	: -
Other features	: EN 54
Accessories	: supplied with safety rope for suspended installation
Packing dimensions (W x H x L)	: 0.57 x 0.36 x 0.57 m
Gross weight	: 7.66 kg
Net weight	: 5 kg