

## IT-40 - Horn Speaker



Weatherproof horn speaker

- 100 V line technique
- Weatherproof and IP66 tested
- Protected against powerful water jets
- Suitable for general indoor and outdoor applications
- Robust plastic housing
- Mounting bracket and screws made of stainless steel
- 5-step power selector switch

## Tekniske data

Active/passive	: passive
Transmission method	: 100 V
Total output power	: -
Power rating (RMS)	: -
Total power rating	: 40 W
Power rating (RMS)	: 40/30/20/10/5 W
Impedance	: -
Frequency range	: 180-7,000 Hz
THD	: -
S/N ratio	: -
Input signal	: -
System	: -
Full range speaker	: -
Bass speaker	: -
Midrange speaker	: -
Tweeter	: -
Number of speakers	: 1
Speaker size	: -
Sensitivity	: 113 dB/W/m
Max. rated SPL	: -
Radiation angle, horizontal	: 100°
Radiation angle, vertical	: 45°
Features	: power selector switch
Housing material	: plastic
Colour	: grey
Mounting device	: stainless steel mounting bracket
Protected against ball rebound	: -
Protection class	: IP66
Admiss. ambient temp.	: -20 °C to +50 °C
Power supply	: -
Dimensions	: 400 x 200 x 420 mm
Width	: 400 mm
Height	: 200 mm
Depth	: 420 mm
Weight	: 3.66 kg



Inputs	: -
Outputs	: -
Replacement voice coil	: IT-40/VC
Other features	: weatherproof
Accessories	: -