



SPH-200TC - HiFi Woofer



Hi-fi bass speaker and subwoofer, 2 x 60 W, 2 x 8 Ohm

- High-quality polypropylene cone
- Dual voice coil
- Set of parameters for an astonishingly deep and powerful bass reproduction from very small bass-reflex cabinets
- Very well-suited for slim column speakers with integrated subwoofer

HOBBY HiFi 02/2019

“With the SPH-200TC, MONACOR offers a subwoofer driver for very compact cabinets at an attractive price.



Nevertheless, it still provides an impressively deep bass reproduction down to under 40 Hz or even 35 Hz.”

Tekniske data

Impedance (Z)	: 2 x 8 Ohm
Transmission method	: -
Frequency range	: f3-4,000 Hz
Resonant frequency (fs)	: 28 Hz
Rec. crossov. frequ. (fmax.) (12 dB/oct.)	: -
Power rating (RMS)	: 2 x 60 W
Peak music power output (MAX)	: 2 x 100 W
Sensitivity	: 88 dB/W/m
Max. rated SPL	: -
Max. voltage	: -
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Suspension compl. (Cms)	: 1.01 mm/N
Moving mass (Mms)	: 32 g
Mech. Q factor (Qms)	: 6.19
Electr. Q factor (Qes)	: 0.25
Total Q factor (Qts)	: 0.24
Equivalent volume (Vas)	: 65 l
DC resistance (Re)	: 2 x 6.8 Ohm/ 3.4 Ohm
Force factor (BxL)	: 8.90 Tm
Voice coil induct. (Le)	: 2 x 1.0 mH/ 1.0 mH
Voice coil diameter	: \varnothing 50 mm
Voice coil former	: Kapton
Linear excursion (X _{MAX})	: \pm 3.75 mm
Eff. cone area (Sd)	: 210 cm ²
Magnet weight	: 840 g
Magnet diameter	: \varnothing 120 mm
Mounting cutout	: \varnothing 185 mm
Mounting depth	: 93 mm
Mounting hole diameter	: -
Hole spacing X-axis	: -
Hole spacing Y-axis	: -
Dimensions	: \varnothing 210 mm x 102 mm
Outside diameter	: \varnothing 210 mm
Width	: \varnothing 210 mm



Height	: -
Depth	: 102 mm
Protective class	: -
Admiss. ambient temp.	: 0-40 °C
Weight	: 2.6 kg
Packing unit	: 1
Type of speaker	: 8"