



SPH-135TC - HiFi Woofer with Twin Coil



Hi-fi bass-midrange speaker, 2 x 30 W, 2 x 8 Ohm

- Dual voice coil
- Polypropylene cone with good midrange attenuation
- Suitable for both miniature subwoofers and powerful 2-way speaker systems, as bookshelf speakers or extra slimline column speakers

Tekniske data

| | |
|---|---------------------------------|
| Impedance (Z) | : 2 x 8 Ohm |
| Transmission method | : - |
| Frequency range | : f3-6,000 Hz |
| Resonant frequency (fs) | : 40 Hz |
| Rec. crossov. frequ. (fmax.) (12 dB/oct.) | : - |
| Power rating (RMS) | : 2 x 30 W |
| Peak music power output (MAX) | : 2 x 60 W |
| Sensitivity | : 85 dB/W/m |
| Max. rated SPL | : - |
| Max. voltage | : - |
| Radiation angle, horizontal | : - |
| Radiation angle, vertical | : - |
| Suspension compl. (Cms) | : 1.69 mm/N |
| Moving mass (Mms) | : 8.9 g |
| Mech. Q factor (Qms) | : 3.44 |
| Electr. Q factor (Qes) | : 0.48 |
| Total Q factor (Qts) | : 0.42 |
| Equivalent volume (Vas) | : 16 l |
| DC resistance (Re) | : 2 x 7.5 Ohm/ 3.8 Ohm |
| Force factor (BxL) | : 4.20 Tm |
| Voice coil induct. (Le) | : 2 x 0.6 mH/ 0.6 mH |
| Voice coil diameter | : $\tilde{\sim}$ 20 mm |
| Voice coil former | : aluminium |
| Linear excursion (X _{MAX}) | : \pm 2.25 mm |
| Eff. cone area (Sd) | : 95 cm ² |
| Magnet weight | : 380 g |
| Magnet diameter | : $\tilde{\sim}$ 100 mm |
| Mounting cutout | : $\tilde{\sim}$ 122 mm |
| Mounting depth | : 64 mm |
| Mounting hole diameter | : - |
| Hole spacing X-axis | : - |
| Hole spacing Y-axis | : - |
| Dimensions | : $\tilde{\sim}$ 138 mm x 70 mm |
| Outside diameter | : $\tilde{\sim}$ 138 mm |
| Width | : $\tilde{\sim}$ 138 mm |



| | |
|-----------------------|-----------|
| Height | : - |
| Depth | : 70 mm |
| Protective class | : - |
| Admiss. ambient temp. | : 0-40 °C |
| Weight | : 1.08 kg |
| Packing unit | : 1 |
| Type of speaker | : 5.5" |