

CLUB-1TOP - PA Speaker Cabinet Pair



The CLUB System:

Compact full range speaker, subwoofer and amplifier perfectly matched to each other and in combination provide a top-quality performance. Considering the dimensions and price, they are simply fascinating. The devices of the CLUB series provide unique possibilities, whether applied individually or together with other PA products of highest quality.

The perfect central power unit for various PA systems capable of high volumes. Ideally suited for clubs and lounges, trendy bars and restaurants, PA applications in function rooms, music pubs, dancing schools, gyms with exercise rooms, etc. The 3-channel concept of extra high power capability with variable frequency filters and various connecting facilities allows for a variety of different system concepts. **Pair of professional PA speaker systems, 2 x 100 W/8 Ohm**

- 16 cm high-performance bass-midrange speaker with carbon fibre cone
- Waveguide dome tweeter
- Compact design
- NEUTRIK SPEAKON IN/OUT for an easy parallel connection
- High-quality lacquered MDF cabinet, full front grille with acoustic foam
- 6 x M8 threaded insert, 1 x standard stand sleeve

The shape and size of the CLUB-1TOP are designed in such a way that the ambience of the location is still maintained even in larger rooms with a decentralised arrangement of several speakers for acoustic reasons. For driving the system, an amplifier STA-1603CLUB is perfectly suitable at which 1, 2, 4 or even 8 CLUB-1TOP speakers can be operated per mid-high range channel (4 or 8 in corresponding series/parallel circuits). The power capability of the amplifier is quite high when connecting one or two speakers, but the

volume capability of the speakers is still almost fully utilised when connecting 8 speakers. **discret 02/2011**

"Above all, the CLUB system impresses by a sophisticated concept for a high flexibility, reliability and a solid quality with high level reserves. The system surely provides a high power capability, great features and a good workmanship for its price and the sound is more than adequate for many applications in trendy clubs, bars and restaurants, even applications of high requirements."

tools4music 01/2011

"The CLUB system from IMG Stage Line impresses by a full bass reproduction and pleasant high frequencies. The CLUB system can perfectly be matched to individual requirements and be extended any time by adding further components. The basic equipment already presents an appealing picture."

+ Compact size

+ Robust cabinet

+ Two Speakon jacks

SOUNDCHECK 10/2010

"Lightweight top speakers of a compact size with extensive crossover network ... they really put an effort into operational reliability."

"A nice compact size and unobtrusive appearance. A well-balanced bass reproduction, an appealing midrange and a very enjoyable reproduction of the high frequencies - simply very nice. Offers various possibilities for extension."

(on the CLUB system) **Beat 69, 07-08/2011**

"A multi-purpose system showing high stability and reliability in continuous operation. The small satellites provide an assertively pleasant sound. The subwoofers feature a dynamic and full sound. The CLUB system ensures sophisticated, compact and reliable PA applications of high quality at a fair price."

Tekniske data

| | |
|--------------------------------|-------------------------------|
| Active/passive | : passive |
| Transmission method | : - |
| Total output power | : - |
| Power rating (RMS) | : - |
| Total power rating | : 160 W |
| Power rating (RMS) | : 100 W |
| Impedance | : 8 Ohm |
| Frequency range | : 55-21,000 Hz |
| THD | : - |
| S/N ratio | : - |
| Input signal | : - |
| System | : 2-way bass-reflex |
| Full range speaker | : - |
| Bass speaker | : 16 cm (6.5") |
| Midrange speaker | : - |
| Tweeter | : dome tweeter with waveguide |
| Number of speakers | : 2 |
| Speaker size | : 16 cm (6.5") |
| Sensitivity | : 90 dB/W/m |
| Max. rated SPL | : 110 dB |
| Radiation angle, horizontal | : - |
| Radiation angle, vertical | : - |
| Features | : - |
| Housing material | : MDF |
| Colour | : black |
| Mounting device | : - |
| Protected against ball rebound | : - |
| Protection class | : - |
| Admiss. ambient temp. | : 0-40 °C |
| Power supply | : - |
| Dimensions | : 210 x 300 x 260 mm |
| Width | : 210 mm |
| Height | : 300 mm |
| Depth | : 260 mm |
| Weight | : 6 kg |



| | |
|------------------------|-----------------------|
| Inputs | : 1 x NEUTRIK SPEAKON |
| Outputs | : 1 x NEUTRIK SPEAKON |
| Replacement voice coil | : - |
| Other features | : - |
| Accessories | : - |