

---

-

## Tekniske data

|                                 |   |
|---------------------------------|---|
| Description                     | : LED DMX controller                    |
| DMX interface                   | : DMX512                                |
| No. of DMX channels             | : 32                                    |
| No. of DMX outputs              | : 1                                     |
| Selectable DMX polarity         | : -                                     |
| No. of channel faders           | : 6                                     |
| Master fader                    | : -                                     |
| No. of chases                   | : -                                     |
| No. of cues                     | : -                                     |
| No. of scenes                   | : -                                     |
| No. of device levels            | : -                                     |
| No. of devices                  | : 4                                     |
| No. of overrides                | : -                                     |
| Number of colours               | : -                                     |
| No. of gobos                    | : -                                     |
| Pre-programmed motion sequences | : -                                     |
| Galvanic isolation              | : -                                     |
| Blackout function               | : yes                                   |
| Password protection             | : -                                     |
| Music-controlled                | : yes                                   |
| Patchable                       | : -                                     |
| Storage capacity                | : -                                     |
| Special features                | : -                                     |
| jog wheels                      | : -                                     |
| MIDI                            | : -                                     |
| USB                             | : -                                     |
| SD card                         | : -                                     |
| Display                         | : -                                     |
| Suitable for                    | : 3-channel to 8-channel LED spotlights |
| Power supply                    | : incl. plug-in power supply            |
| Operating voltage               | : -                                     |
| Current consumption             | : -                                     |
| Dimensions                      | : 242 x 156 x 62 mm                     |
| Width                           | : 242 mm                                |
| Height                          | : 156 mm                                |

---

|                       |                            |
|-----------------------|----------------------------|
| Depth                 | : 62 mm                    |
| Rack spaces, RS       | : -                        |
| Admiss. ambient temp. | : 0-40 °C                  |
| Weight                | : 1.25 kg                  |
| Connections           | : 1 x 3-pole XLR (DMX out) |