


## MKS-48/WS - Speaker Cabinet Pair



Pair of wall/ceiling/corner mount speaker systems, 15 W, 8 Ohm

These really universally mountable speakers allow a perfect integration into most versatile indoor mounting positions. Interesting possibilities due to the optional creation of a cluster with 1-4 elements, from ceiling suspension in a corner to a hemisphere of wide radiation in the middle of the wall or ceiling. The sound of the pure white speakers is adjusted in such a precise way that it provides a complete sound of high quality, no matter in which position the speakers are placed.

- White ABS cabinet
- High-quality 10 cm full range speaker
- Variable support and mounting system

## Tekniske data

Active/passive	: passive
Transmission method	: -
Total output power	: -
Power rating (RMS)	: -
Total power rating	: 30 W
Power rating (RMS)	: 15 W
Impedance	: 8 Ohm
Frequency range	: 100-20,000 Hz
THD	: -
S/N ratio	: -
Input signal	: -
System	: -
Full range speaker	: -
Bass speaker	: -
Midrange speaker	: 10 cm full range speaker
Tweeter	: -
Number of speakers	: 1
Speaker size	: 10 cm
Sensitivity	: 87 dB/W/m
Max. rated SPL	: -
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	: -
Housing material	: ABS
Colour	: white
Mounting device	: -
Protected against ball rebound	: -
Protection class	: -
Admiss. ambient temp.	: 0-40 °C
Power supply	: -
Dimensions	: 195 x 145 x 140 mm
Width	: 195 mm
Height	: 145 mm
Depth	: 140 mm
Weight	: 1.5 kg



Inputs	: -
Outputs	: -
Replacement voice coil	: -
Other features	: -
Accessories	: -