

## XLR-803/J - XLR Jack



XLR inline jack, 3 poles

- Metal version
- Nickel-plated contacts
- Cable bending protection and self-adjusting clamps as strain relief
- For cables: Ø 6-9 mm

## Tekniske data

|                              |                        |
|------------------------------|------------------------|
| Description                  | : inline jack          |
| Type                         | : XLR, 3 poles         |
| Quantity                     | : 1                    |
| Features                     | : gold-plated contacts |
| Colour/colour coding         | : black, chrome        |
| Power rating                 | : -                    |
| Insulating resistance        | : -                    |
| Dielectric strength          | : -                    |
| Certification                | : -                    |
| Pole number                  | : 3                    |
| Cable inlet                  | : Å 6-9 mm             |
| Suitable cable cross section | : -                    |
| Connection                   | : -                    |
| Strain relief                | : yes                  |
| Cable bending protection     | : yes                  |
| Stereo                       | : -                    |
| Mono                         | : -                    |
| Switches                     | : -                    |
| Material                     | : metal                |
| Central fixing               | : -                    |
| Contact type                 | : -                    |
| No. of contacts              | : -                    |
| Contact width                | : -                    |
| Contact distance             | : -                    |
| Admiss. ambient temp.        | : 0-40 °C              |
| Dimensions                   | : -                    |
| Diameter                     | : -                    |
| Length                       | : -                    |
| Weight                       | : 27 g                 |
| Other features               | : -                    |